

WeRMopar.com

DODGE


POWER WAGON

Valley Fold ↙


Peak Fold ↗

INSTRUCTIONS

1. Print onto heavy paper (also called "card stock")
2. IN GENERAL: Score all fold lines and pre-fold all folds before gluing. Pre-bend the round edges of cab, hood, and winch. Use common white glue, spread thinly, and pinch until it sticks.
3. Cut out all of the parts. It is helpful to use a hobby knife and cutting mat for the small parts.
4. Build the cab, attach front fenders
5. Build pickup bed, attach to cab
6. attach rear fenders and runningboards
7. Build undercarriage pieces (axles) and attach
8. Build wheels. Attach wheels to axles
9. Build front bumper. Attach to body. attach rear bumper.
10. Cut out and attach mirrors and headlights
11. With a matching-color marker, color the fold and cut lines for an improved appearance.



Build the front bumper as shown



Glue pickup bed to this location

Bumper Assembly



Color the back side of the bumper black with an ink marker before building

See the papercruiser.com videos page for helpful tutorial on best way to cut out small parts


Dodge logos, emblems, slogans and vehicle model names and body designs are trademarks and/or service marks of Chrysler LLC, its subsidiaries, affiliates or licensors.

WeRMopar.com

toll-free (855) 935-7900



Inner Cargo Bed



Visit the papercruiser.com videos page for helpful tutorial on best way to cut out wheels

WeRMopar.com
toll-free (855) 935-7900

